AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

ABBAS S.K., CAPLE I.W., CARE A.D., LOVERIDGE N., MARTIN T.J., PICKARD D.W. & RODDA C. The role of the parathyroid glands in fetal calcium homeostasis in the sheep. (C) 27*P*

ABRAMOVICH D.R., DACKE C.G., ELCOCK C. & PAGE K.R. Effect of dinitrophenol on calcium transfer across the dually perfused human placental lobule. (C) 21*P*

ABRAMOVICH D.R., DACKE C.G., HENDERSON K., KLOPPER A., PAGE K.R. & WAMBUSI H. Release of proteins from the human placenta perfused *in vitro*. 94*P*

ADAMS J.H., IRVING G., KOESLAG J.H., LOCHNER J. de V., SANDELL R.C. & WILKINSON C. β-Adrenergic blockade restores glucose's antiketogenic activity after exercise in carbohydrate-depleted athletes. 439

AITKEN J.C., MILLER R.W.S. & THOMPSON J. A methodology for the determination of maximal aerobic power in the elderly. 96*P*

AL-GAILANI B.T. & COTTERRELL D. Deformability of human red cell ghosts determined by filtration. 109*P*

ALMERS W. & NEHER E. Gradual and stepwise changes in the membrane capacitance of rat peritoneal mast cells. 205

AL-OBAIDI M., KARIM F., MAJID D.S.A & MERSAOUI A.A. Studies of renal responses to stimulation of carotid baroreceptors, chemoreceptors and atrial receptors, and to acute coronary occlusion in anaesthetized dogs. (D) 14*P*

AL-OBAIDI M., KARIM F., MAJID D.S.A. & MERSAOUI A.A. The renal responses to occlusion of a branch of the left coronary artery in anaesthetized dogs. 100*P*

AL-SHAMMA Y.M.H., HAINSWORTH R. & WAHBHA M.M.A.E. A system for the study of cardiovascular control in humans. (D) 10*P*

AL-SHAMMA Y.M.H. & HAINSWORTH R. Cardiovascular responses to upright tilting in human subjects of various ages. 104*P*

AL-SHAMMA Y.M.H., HAINSWORTH R. & MORLEY C.A. Cardiovascular responses in humans to baroreceptor stimulation. 105*P*

ANIL M.H., FORBES J.M., HOYLE B.S., JACKSON D. & JOHNSON C.L. Automatic monitoring of the feeding behaviour of cattle. (D) 5*P*

ANIL M.H., FORBES J.M. & MBANYA J.N. Additive effects of acetate, propionate and distension of the rumen on hay intake by lactating cows. (C) 61*P*

ANIL M.H. & FORBES J.M. Involvement of autonomic nerves in the contribution of the liver to the control of food intake in sheep. (C) 88*P*

ANWANA Atim, CUTTS M., GARLAND H.O. & ZATMAN P. Renal calcium handling in streptozotocin-induced diabetes mellitus in the rat. (C) 36*P*

APPENTENG K. & MOORE J.A. Intracellular recordings from trigeminal motoneurones and interneurones in anaesthetized rats. (D) 15*P*

ARGENT B.E., ARKLE S., GRAY M.A. & GREENWELL J.R. Two types of calcium-sensitive cation channels in isolated rat pancreatic duct cells. (C) 82*P*

ARKLE S. *see* ARGENT B.E., ARKLE S., GRAY M.A. & GREENWELL J.R. Two types of calcium-sensitive cation channels in isolated rat pancreatic duct cells. (C) 82*P*

ASHLEY C.C., GRIFFITHS P.J. & STONEHAM N. Stiffness and tension measurements during ATP deprivation in skinned muscle fibres of *Balanus nubilus*. (C) 85*P*

ASHTON N., BALMENT R.J. & BLACKBURN T.P. Renal and endocrine response to kappa-opioid agonist administration in the rat. (C) 66*P*

ATHERTON J.C., GREEN R. & SOLOMON L. Effect of dietary protein intake on renal handling of sodium and water in man. (C) 37*P*

BABLI P. & BOOTH F.W. α-Actin mRNA is depressed in denervated adult rat plantaris muscle. (C) 87*P*

BALMENT R.J. *see* ASHTON N., BALMENT R.J. & BLACKBURN T.P. Renal and endocrine response to kappa-opioid agonist administration in the rat. (C) 66*P*

BARKER Jeffrey L., HARRISON Neil L., LANGE G. David & OWEN David G. Potentiation of γ-aminobutyric-acid-activated chloride conductance by a steroid anaesthetic in cultured rat spinal neurones. 485

BARNES Peter J. & CARSTAIRS Jill R. Visualization of substance-P receptors in isolated guinea-pig lung and trachea. 99P

BATTEN T.F.C. & LO V.K.F. Immunohistochemical localization of peptides and amines in the brain stem of the cat. 103P

BEARDSWORTH Lindsay J., BEARDSWORTH P.M., CARE A.D. & PICKARD D.W. A demonstration of the temporarily isolated and washed-rumen technique in the sheep. (D) 7P

BEARDSWORTH Lindsay J., BEARDSWORTH P.M. & CARE A.D. The effect of increased potassium concentration on the absorption of magnesium from the reticulo-rumen of conscious sheep. (C) 89P

BEARDSWORTH P.M. *see* BEARDSWORTH Lindsay J., BEARDSWORTH P.M., CARE A.D. & PICKARD D.W. A demonstration of the temporarily isolated and washed-rumen technique in the sheep. (D) 7P

BEARDSWORTH P.M. *see* BEARDSWORTH Lindsay J., BEARDSWORTH P.M. & CARE A.D. The effect of increased potassium concentration on the absorption of magnesium from the reticulo-rumen of conscious sheep. (C) 89P

BECK J., BROOK J., PIRIE Susan C. & POTTS D.J. Methods used in the preparation of micropipettes for microperfusion of kidney tubule segments *in vitro*. (D) 15P

BECK J.S., BROOK J., PIRIE Susan C. & POTTS D.J. A method for the rapid exchange of luminal perfusate in the *in vitro* perfused proximal convoluted tubule of the rabbit. (D) 12P

BECK J.S., PIRIE Susan C. & POTTS D.J. The effect of barium on the basolateral membrane potential of the isolated perfused rabbit proximal tubule. (C) 40P

BENNETT J.A. Sensory innervation of the proventriculus and gizzard of the domestic chicken. (D) 6P

BENNETT T. & GARDINER S.M. Cardiac baroreflex sensitivities in water-deprived Long Evans and Brattleboro rats. (C) 49P

BENNETT T. & HEBDEN R.A. Blood pressure (B.P.) recovery following haemorrhage in rats treated with streptozotocin. (C) 50P

BERS Donald M. & HARRISON Simon M. Comparison of the new calcium buffers BAPTA and Di-Bromo-BAPTA with EGTA: evaluation of purity and sensitivity to temperature and ionic strength. (C) 58P

BINDMAN Lynn J., MEYER T. & POCKETT Susan Long-term potentiation in rat neocortical neurones in slices, produced by repetitive pairing of an afferent volley with intracellular depolarizing current. (C) 90P

BLACKBURN T.P. *see* ASHTON N., BALMENT R.J. & BLACKBURN T.P. Renal and endocrine response to kappa-opioid agonist administration in the rat. (C) 66P

BOMFORD J. & MOTT J.C. Arterial pressure and plasma calcium in anephric fetal lambs. (C) 24P

BOOTH F.W. *see* BABLI P. & BOOTH F.W. α-Actin mRNA is depressed in denervated adult rat plantaris muscle. (C) 87P

BOYD R.D.H., GLAZIER J.D., SIBLEY C.P. & WARD B.S. Effects of adrenergic agonists and a β-antagonist on the maternofetal potential difference (p.d.) fetal heart rate and fetal blood pressure (B.P.) in the unanaesthetized pig. (C) 25P

BOYETT M.R. & HENNING B. The mechanism underlying rate-dependent changes in the transient inward current, i_{TI}, of isolated sheep cardiac Purkinje fibres. 114P

BOYETT M.R., HAMILTON D.L. & LEVI A.J. A simple model of changes of the intracellular sodium activity (a^{i}_{Na}) on binding of cardiac glycosides to the sodium–potassium pump of the heart. 115P

BOYLE S.J. & POLLOCK D. Effects of drugs on field stimulation-induced ^{3}H-noradrenaline overflow and responses of rat isolated atria. (C) 53P

BROMLEY L., FRANCIS M.J.O. & MOTT J.C. Plasma calcium in anephric fetal lambs and maternal food intake. (C) 23P

BROOK J. *see* BECK J.S., BROOK J., PIRIE Susan C. & POTTS D.J. A method for the rapid exchange of luminal perfusate in the *in vitro* perfused proximal convoluted tubule of the rabbit. (D) 12P

BROOK J. *see* BECK J., BROOK J., PIRIE Susan C. & POTTS D.J. Methods used in the preparation of micropipettes for microperfusion of kidney tubule segments *in vitro*. (D) 15P

BUITENWEG R., DAUT J. & ELZINGA G. Resting heat production of isolated superfused trabeculae from guinea-pig heart at 37 °C. (C) 54P

BULL Judith S., GRUNDY D. & SCRATCHERD T. Motor response of the canine jejunum to variable periods of gastric distension. (C) 60*P*

BURNS J.K. Serum leucine aminopeptidase levels in late human pregnancy. (C) 77*P*

BUTCHER Penny A., HEMLIN M., LUNDGREN O. & SJOVALL H. The effects of sympathetic nerve stimulation on transepithelial potential difference and short-circuit current in rat jejunum, *in vivo* and *in vitro*. (C) 79*P*

CANAVAN J.P., EL HAJ A.J., GOLDSPINK D.F. & ROBINSON J. Growth of the rat placenta during normal and diabetic pregnancies. (C) 28*P*

CAPLE I.W. *see* ABBAS S.K., CAPLE I.W., CARE A.D., LOVERIDGE N., MARTIN T.J., PICKARD D.W. & RODDA C. The role of the parathyroid glands in fetal calcium homeostasis in the sheep. (C) 27*P*

CARBONE E. & LUX H.D. Kinetics and selectivity of a low-voltage-activated calcium current in chick and rat sensory neurones. 547

CARBONE E. & LUX H.D. Single low-voltage-activated calcium channels in chick and rat sensory neurones. 571

CARE A.D. *see* BEARDSWORTH Lindsay J., BEARDSWORTH P.M., CARE A.D. & PICKARD D.W. A demonstration of the temporarily isolated and washed-rumen technique in the sheep. (D) 7*P*

CARE A.D. *see* ABBAS S.K., CAPLE I.W., CARE A.D., LOVERIDGE N., MARTIN T.J., PICKARD D.W. & RODDA C. The role of the parathyroid glands in fetal calcium homeostasis in the sheep. (C) 27*P*

CARE A.D. *see* BEARDSWORTH Lindsay J., BEARDSWORTH P.M. & CARE A.D. The effect of increased potassium concentration on the absorption of magnesium from the reticulo-rumen of conscious sheep. (C) 89*P*

CARLEY L. Richard & RAYMOND Stephen A. Comparison of the after-effects of impulse conduction on threshold at nodes of Ranvier along single frog sciatic axons. 503

CARSTAIRS Jill R. *see* BARNES Peter J. & CARSTAIRS Jill R. Visualization of substance-P receptors in isolated guinea-pig lung and trachea. 99*P*

CHAKDER S.K. & ZEITLIN I.J. Action of bile acids on intestinal kallikrein-like amidase (KLA): comparison of effects in rat stomach and colon. 108*P*

CHAPMAN R.A. & RODRIGO G.C. Intracellular sodium activity in isolated guinea-pig cardiac myocytes in normal Tyrode solution and during exposure to calcium-free solution. 116*P*

CHIPPERFIELD A.R. (Na+K) co-transport in human red cells: evidence for binding of Cl before K. (C) 78*P*

CHIRWA S.S. & SASTRY B.R. Chemical and post-synaptic modulation of the induction of synaptic potentiation in guinea-pig hippocampus *in vitro*. (C) 29*P*

CHIU S.Y. Sodium currents in axon-associated Schwann cells from adult rabbits. 181

CLARK R.W., FORD T.W. & HARRIS S.M. The facilitatory action of an analogue of thyrotrophin releasing hormone on spinal reflexes suppressed by endogenous opioids in the rabbit. (C) 67*P*

COLEBATCH J.G. & MCCLOSKEY D.I. Maintenance of constant arm position or force: reflex and volitional components in man. 247

CONTRACTOR S.F. & EATON B.M. Uptake of alpha-2-macroglobulin and its trypsin complex by the isolated perfused human placenta. (C) 18*P*

CONTRACTOR S.F. *see* DE CHAZAL R.C.S., CONTRACTOR S.F., EATON B.M. & NAOUM H.G. Characterization of lipoprotein receptor on microvillous membranes isolated from normal term human placenta. 95*P*

COOPER R.G., EDWARDS R.H.T., GIBSON H. & STOKES M. Frequency dependence of excitation and force generation in human adductor pollicis. 113*P*

COTTERRELL D. *see* AL-GAILANI B.T. & COTTERRELL D. Deformability of human red cell ghosts determined by filtration. 109*P*

CRISP A.J., HAINSWORTH R., MCGREGOR K.H. & TUTT S.M. A method of stimulation of left ventricular receptors in anaesthetized dogs. (D) 11*P*

CUTTS M. *see* ANWANA Atim, CUTTS M., GARLAND H.O. & ZATMAN P. Renal calcium handling in streptozotocin-induced diabetes mellitus in the rat. (C) 36*P*

DACKE C.G. *see* ABRAMOVICH, D.R., DACKE C.G., ELCOCK C. & PAGE K.R. Effect of dinitrophenol on calcium transfer across the dually perfused human placental lobule. (C) 21*P*

DACKE C.G. *see* ABRAMOVICH D.R., DACKE C.G., HENDERSON K., KLOPPER A., PAGE K.R. & WAMBUSI H. Release of proteins from the human placenta perfused *in vitro*. 94*P*

DAUT J. *see* BUITENWEG R., DAUT J. & ELZINGA G. Resting heat production of isolated superfused trabeculae from guinea-pig heart at 37 °C. (C) 54*P*

DE CHAZAL R.C.S., CONTRACTOR S.F., EATON B.M. & NAOUM H.G. Characterization of lipoprotein receptor on microvillous membranes isolated from normal term human placenta. 95*P*

DEREIMER Susan A., RAHAMIMOFF R., SAKMANN B. & STADLER H. Conductances and channels in fused synaptic vesicles from *Torpedo* electric organ. (C) 84*P*

DIETZ V., QUINTERN J. & SILLEM M. Stumbling reactions in man: significance of proprioceptive and pre-programmed mechanisms. 149

DOLLY J.O., LANDE S. & W.-WRAY D. The effects of *in vitro* application of purified botulinum neurotoxin at mouse motor nerve terminals. 475

DOLPHIN A.C. & SCOTT R.H. Calcium channel currents and their inhibition by (−)-baclofen in rat sensory neurones: modulation by guanine nucleotides. 1

DREYER Florian & PENNER Reinhold The actions of presynaptic snake toxins on membrane currents of mouse motor nerve terminals. 455

DRINKHILL M.J., HASSAN A.A.M., HICKS M.N., MARY D.A.S.G., RAMADAN M.R.M. & VACCA G. Distension of the urinary bladder in the study of related cardiovascular reflexes in the dog. (D) 3*P*

DRYDEN W.F., KWAN-YEUNG L. & TAWFIK N.H. Free radical scavengers reduce the different incidences of isoprenaline induced dysrhythmia in isolated atria from rats fed lipid-supplemented diets. (C) 93*P*

EATON B.M. *see* CONTRACTOR S.F. & EATON B.M. Uptake of alpha-2-macroglobulin and its trypsin complex by the isolated perfused human placenta. (C) 18*P*

EATON B.M. *see* DE CHAZAL R.C.S., CONTRACTOR S.F., EATON B.M. & NAOUM H.G. Characterization of lipoprotein receptor on microvillous membranes isolated from normal term human placenta. 95*P*

EDWARDS R.H.T. *see* COOPER R.G., EDWARDS R.H.T., GIBSON H. & STOKES M. Frequency dependence of excitation and force generation in human adductor pollicis. 113*P*

EDWARDS R.J., GOODERSON Patricia M.E. & STREETS D.F. Sustained operations and upper-body physical fitness. (C) 92*P*

EKEROT C.-F., OSCARSSON O. & SCHOUENBORG J. Stimulation of cat cutaneous nociceptive C fibres causing tonic and synchronous activation in climbing fibres. 539

EKEROT C.-F., GUSTAVSSON P., OSCARSSON O. & SCHOUENBORG J. Climbing fibres projecting to cat cerebellar anterior lobe activated by cutaneous A and C fibres. 529

ELCOCK C. *see* ABRAMOVICH, D.R., DACKE C.G., ELCOCK C. & PAGE K.R. Effect of dinitrophenol on calcium transfer across the dually perfused human placental lobule. (C) 21*P*

EL HAJ A.J. *see* CANAVAN J.P., EL HAJ A.J., GOLDSPINK D.F. & ROBINSON J. Growth of the rat placenta during normal and diabetic pregnancies. (C) 28*P*

ELZINGA G. *see* BUITENWEG R., DAUT J. & ELZINGA G. Resting heat production of isolated superfused trabeculae from guinea-pig heart at 37 °C. (C) 54*P*

FELLOWS I.W., MACDONALD I.A. & MANSELL P.I. Metabolic and cardiovascular effects of infusions of low doses of isoprenaline in man. (C) 48*P*

FERRELL W.R., GANDEVIA S.C. & MCCLOSKEY D.I. The role of joint receptors in human kinaesthesia when intramuscular receptors cannot contribute. 63

FERRINGTON D.G., HORNIBLOW S. & ROWE Mark J. Temporal patterning in the responses of gracile and cuneate neurones in the cat to cutaneous vibration. 277

FERRINGTON D.G., ROWE Mark J. & TARVIN R.P.C. Actions of single sensory fibres on cat dorsal column nuclei neurones: vibratory signalling in a one-to-one linkage. 293

FERRINGTON D.G., ROWE Mark J. & TARVIN R.P.C. Integrative processing of vibratory information in cat dorsal column nuclei neurones driven by identified sensory fibres. 311

FERWANA O., PIRIE Susan C. & POTTS D.J. A technique for the investigation of the effects of protective flush solutions in the prevention of warm ischaemic damage in the rat kidney. (D) 15*P*

FERWANA O.S., PIRIE Susan C. & POTTS D.J. Phosphate-buffered sucrose flush protects rat kidney function during normothermic renal ischaemia. (C) 41*P*

FIELD A.C., HODGSON J.C. & MELLOR D.J. Lactate–glucose interrelationships in the pregnant ewe and conceptus. (C) 19*P*

FLATMAN Peter W. The effects of calcium on potassium transport in ferret red cells. 407

FORBES J.M. *see* ANIL M.H., FORBES J.M., HOYLE B.S., JACKSON D. & JOHNSON C.L. Automatic monitoring of the feeding behaviour of cattle. (D) 5*P*

FORBES J.M. *see* ANIL M.H., FORBES J.M. & MBANYA J.N. Additive effects of acetate, propionate and distension of the rumen on hay intake by lactating cows. (C) 61*P*

FORBES J.M. *see* ANIL M.H. & FORBES J.M. Involvement of autonomic nerves in the contribution of the liver to the control of food intake in sheep. (C) 88*P*

FORD T.W., MCWILLIAM P.N. & WOOLLEY D.C. The effects of stimulation of non-myelinated vagal fibres on heart rate in the rabbit. (D) 8*P*

FORD T.W., MCWILLIAM P.N. & SHEPHEARD S.L. A multibarrelled platinum-coated micro-electrode. (D) 9*P*

FORD T.W. *see* CLARK R.W., FORD T.W. & HARRIS S.M. The facilitatory action of an analogue of thyrotrophin releasing hormone on spinal reflexes suppressed by endogenous opioids in the rabbit. (C) 67*P*

FORSLING Mary L. & WELLS T. The role of noradrenaline and opioid peptides on osmotically stimulated vasopressin release in conscious rats. (C) 65*P*

FOR-TAI LAM F., GILES G.R., HAMILTON D., MAVOR A.I.D. & POTTS D.J. Renal function in the pig following autotransplantation of the left kidney after 24 hours preservation with phosphate-buffered sucrose solution, with immediate contralateral nephrectomy. (C) 42*P*

FOULKES R. & GARDINER S.M. Effect of sequential α_1- and α_2-adrenoceptor antagonism on blood pressure (B.P.) in rats with adrenal regeneration hypertension. (C) 51*P*

FRANCIS M.J.O. *see* BROMLEY L., FRANCIS M.J.O. & MOTT J.C. Plasma calcium in anephric fetal lambs and maternal food intake. (C) 23*P*

GANDEVIA S.C. *see* FERRELL W.R., GANDEVIA S.C. & MCCLOSKEY D.I. The role of joint receptors in human kinaesthesia when intramuscular receptors cannot contribute. 63

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Cardiac baroreflex sensitivities in water-deprived Long Evans and Brattleboro rats. (C) 49*P*

GARDINER S.M. *see* FOULKES R. & GARDINER S.M. Effect of sequential α_1- and α_2-adrenoceptor antagonism on blood pressure (B.P.) in rats with adrenal regeneration hypertension. (C) 51*P*

GARLAND C.J. Membrane and contractile responses to 5-hydroxytryptamine in the isolated rabbit basilar artery. (C) 52*P*

GARLAND H.O. *see* ANWANA Atim, CUTTS M., GARLAND H.O. & ZATMAN P. Renal calcium handling in streptozotocin-induced diabetes mellitus in the rat. (C) 36*P*

GAYTON R.J., STEELE Janet E. & TAYLOR D.C.M. The responses of rat striatal neurones to scrotal skin temperature. (C) 31*P*

GENT J.P., HUGHES I.E., MORRISON J.F.B. & ORCHARD C.H. A computer-aided self-teaching system based on multiple-choice questions. 15*P*

GENT J.P. & HUGHES I.E. A computer-based 'short notes tutor'. (D) 15*P*

GIAUME Christian, KADO Raymond T. & KORN Henri Voltage-clamp analysis of a crayfish rectifying synapse. 91

GIBSON H. *see* COOPER R.G., EDWARDS R.H.T., GIBSON H. & STOKES M. Frequency dependence of excitation and force generation in human adductor pollicis. 113*P*

GIEBISCH G. & HUNTER M. Apical K^+ channels of diluting segment of *Amphiuma* kidney: a channel made of four sub-conductive units. (C) 34*P*

GILES G.R. *see* FOR-TAI LAM F., GILES G.R., HAMILTON D., MAVOR A.I.D. & POTTS D.J. Renal function in the pig following autotransplantation of the left kidney aiter 24 hours preservation with phosphate-buffered sucrose solution, with immediate contralateral nephrectomy. (C) 42*P*

GINSBORG B.L., MARTIN R.J. & PATMORE L. On the electrical properties of a human neuroblastoma cell-line (IMR-32). 111*P*

GIRDLESTONE D. & WINLOW W. A relationship between neuronal topography and responses to anaesthetics in *Lymnaea*. (C) 33*P*

GLAZIER J.D. *see* BOYD R.D.H., GLAZIER J.D., SIBLEY C.P. & WARD B.S. Effects of adrenergic agonists and a β-antagonist on the maternofetal potential difference (p.d.) fetal heart rate and fetal blood pressure (B.P.) in the unanaesthetized pig. (C) 25*P*

GLEESON M. & MAUGHAN R.J. Changes in ascorbic acid content of plasma and lymphocytes following exercise in man. 98*P*

GOLDSPINK D.F. *see* CANAVAN J.P., EL HAJ A.J., GOLDSPINK D.F. & ROBINSON J. Growth of the rat placenta during normal and diabetic pregnancies. (C) 28*P*

GOODERSON Patricia M.E. *see* EDWARDS R.J., GOODERSON Patricia M.E. & STREETS D.F. Sustained operations and upper-body physical fitness. (C) 92*P*

GRAY M.A. *see* ARGENT B.E., ARKLE S., GRAY M.A. & GREENWELL J.R. Two types of calcium-sensitive cation channels in isolated rat pancreatic duct cells. (C 82*P*

GREEN R., GREENWOOD S.L. & WHITE S.J. Stimulation of fluid absorption by formate in the rat proximal tubule. (C) 35P

GREEN R. *see* ATHERTON J.C., GREEN R. & SOLOMON L. Effect of dietary protein intake on renal handling of sodium and water in man. (C) 37P

GREENHAFF P.L. & MAUGHAN R.J. Respiratory alkalosis and the performance of high-intensity exercise in man. (C) 68P

GREENSTEIN J., KAVANAGH P. & ROWE Mark J. Phase coherence in vibration-induced responses of tactile fibres associated with Pacinian corpuscle receptors in the cat. 263

GREENWELL J.R. *see* ARGENT B.E., ARKLE S., GRAY M.A. & GREENWELL J.R. Two types of calcium-sensitive cation channels in isolated rat pancreatic duct cells. (C) 82P

GREENWOOD S.L. *see* GREEN R., GREENWOOD S.L. & WHITE S.J. Stimulation of fluid absorption by formate in the rat proximal tubule. (C) 35P

GRIFFITHS P.J. *see* ASHLEY C.C., GRIFFITHS P.J. & STONEHAM N. Stiffness and tension measurements during ATP deprivation in skinned muscle fibres of *Balanus nubilus*. (C) 85P

GRUNDY D. *see* BULL Judith S., GRUNDY D. & SCRATCHERD T. Motor response of the canine jejunum to variable periods of gastric distension. (C) 60P

GUNDERSEN C.B., MILEDI R. & PARKER I. Serotonin receptors expressed by brain mRNA in *Xenopus* oocytes mediate three different ionic currents. (C) 83P

GUSTAVSSON P. *see* EKEROT C.-F., GUSTAVSSON P., OSCARSSON O. & SCHOUENBORG J. Climbing fibres projecting to cat cerebellar anterior lobe activated by cutaneous A and C fibres. 529

HAINSWORTH R. *see* AL-SHAMMA Y.M.H., HAINSWORTH R. & WAHBHA M.M.A.E. A system for the study of cardiovascular control in humans. (D) 10P

HAINSWORTH R. *see* CRISP A.J., HAINSWORTH R., MCGREGOR K.H. & TUTT S.M. A method of stimulation of left ventricular receptors in anaesthetized dogs. (D) 11P

HAINSWORTH R. *see* AL-SHAMMA Y.M.H. & HAINSWORTH R. Cardiovascular responses to upright tilting in human subjects of various ages. 104P

HAINSWORTH R. *see* AL-SHAMMA Y.M.H., HAINSWORTH R. & MORLEY C.A. Cardiovascular responses in humans to baroreceptor stimulation. 105P

HAMILTON D. *see* FOR-TAI LAM F., GILES G.R., HAMILTON D., MAVOR A.I.D. & POTTS D.J. Renal function in the pig following autotransplantation of the left kidney after 24 hours preservation with phosphate-buffered sucrose solution, with immediate contralateral nephrectomy. (C) 42P

HAMILTON D.L. *see* BOYETT M.R., HAMILTON D.L. & LEVI A.J. A simple model of changes of the intracellular sodium activity (a^i_{Na}) on binding of cardiac glycosides to the sodium–potassium pump of the heart. 115P

HAMILTON Duncan L. & LEVI Allan J. Recovery of intracellular sodium activity (a^i_{Na}) after exposing isolated sheep Purkinje fibres to different cardiac glycosides. (C) 55P

HAMPTON I.F.G. & KNIBBS A.V. Human exercise in cold and wind: the physiological consequence of wet clothes. 97P

HANSON M.A. & WILLIAMS B.A. A role for brown adipose tissue (BAT) in the biphasic ventilatory response of the newborn rat to hypoxia. (C) 70P

HARRINGTON M.E., MASONR. & RUSAK B. The effects of neuropeptide-Y (NPY) on hamster supra-chiasmatic neurones recorded *in vitro*. (C) 91P

HARRIS S. & LOTE C.J. Effect of pH on prostaglandin E_2 and $F_{2\alpha}$ release from rat renal papillary slices. (C) 43P

HARRIS S.M. *see* CLARK R.W., FORD T.W. & HARRIS S.M. The facilitatory action of an analogue of thyrotrophin releasing hormone on spinal reflexes suppressed by endogenous opioids in the rabbit. (C) 67P

HARRISON Neil L. *see* BARKER Jeffrey L., HARRISON Neil L., LANGE G. David & OWEN David G. Potentiation of γ-aminobutyric-acid-activated chloride conductance by a steroid anaesthetic in cultured rat spinal neurones. 485

HARRISON Simon M. *see* BERS Donald M. & HARRISON Simon M. Comparison of the new calcium buffers BAPTA and Di-Bromo-BAPTA with EGTA: evaluation of purity and sensitivity to temperature and ionic strength. (C) 58P

HASSAN A.A.M. *see* DRINKHILL M.J., HASSAN A.A.M., HICKS M.N., MARY D.A.S.G., RAMADAN M.R.M. & VACCA G. Distension of the urinary bladder in the study of related cardiovascular reflexes in the dog. (D) 3P

HASSAN Ahmad A.K. & TOOKE J.E. Effect of local nervous blockade on postural vasoconstriction in man. (C) 47*P*

HAYLOR J. & TOWERS J.D. Microinjection of [^{3}H]PGE_2 into surface nephrons of the anaesthetized rat. (C) 39*P*

HEBDEN R.A. *see* BENNETT T. & HEBDEN R.A. Blood pressure (B.P.) recovery following haemorrhage in rats treated with streptozotocin. (C) 50*P*

HECTOR M.P. Parotid salivary amylase output in man during chewing. (C) 59*P*

HEMLIN M. *see* BUTCHER Penny A., HEMLIN M., LUNDGREN O. & SJOVALL H. The effects of sympathetic nerve stimulation on transepithelial potential difference and short-circuit current in rat jejunum, *in vivo* and *in vitro*. (C) 79*P*

HENDERSON K. *see* ABRAMOVICH D.R., DACKE C.G., HENDERSON K., KLOPPER A., PAGE K.R. & WAMBUSI H. Release of proteins from the human placenta perfused *in vitro*. 94*P*

HENNING B. *see* BOYETT M.R. & HENNING B. The mechanism underlying rate-dependent changes in the transient inward current, i_{TI}, of isolated sheep cardiac Purkinje fibres. 114*P*

HERVEY G.R. Equipment for automatic recording of food intake in rats (D) 15*P*

HERVEY G.R., HUSSAIN S.H., RAYFIELD K.M., TOBIN G. & WHITAKER E.M. The role of thyroid hormones in the metabolic response to cold in the rat. (C) 73*P*

HETHERINGTON M.S., MCKENZIE J.D., SYED N.I. & WINLOW W. Locomotion in *Lymnaea*. (D) 15*P*

HICKS M.N. *see* DRINKHILL M.J., HASSAN A.A.M., HICKS M.N., MARY D.A.S.G., RAMADAN M.R.M. & VACCA G. Distension of the urinary bladder in the study of related cardiovascular reflexes in the dog. (D) 3*P*

HIRANO Tomoo & TAKAHASHI Kunitaro Development of ionic channels and cell-surface antigens in the cleavage-arrested one-cell embryo of an ascidian. 113

HODGSON J.C. *see* FIELD A.C., HODGSON J.C. & MELLOR D.J. Lactate–glucose interrelationships in the pregnant ewe and conceptus. (C) 19*P*

HOLLAND G.R., MATTHEWS B. & ROBINSON P.P. An electrophysiological and morphological study of the innervation and reinnervation of cat dentine. 31

HORNIBLOW S. *see* FERRINGTON D.G., HORNIBLOW S. & ROWE Mark J. Temporal patterning in the responses of gracile and cuneate neurones in the cat to cutaneous vibration. 277

HOYLE B.S. *see* ANIL M.H., FORBES J.M., HOYLE B.S., JACKSON D. & JOHNSON C.L. Automatic monitoring of the feeding behaviour of cattle. (D) 5*P*

HUGHES I.E. *see* GENT J.P., HUGHES I.E., MORRISON J.F.B. & ORCHARD C.H. A computer-aided self-teaching system based on multiple-choice questions. 15*P*

HUGHES I.E. *see* GENT J.P. & HUGHES I.E. A computer-based 'short notes tutor'. (D) 15*P*

HUNTER M. *see* GIEBISCH G. & HUNTER M. Apical K^+ channels of diluting segment of *Amphiuma* kidney: a channel made of four sub-conductive units. (C) 34*P*

HUNTER M.J. & MAIN Kathryn E. Excision-activated non-selective ion channels in mouse oocytes. (C) 80*P*

HUSSAIN S.H. *see* HERVEY G.R., HUSSAIN S.H., RAYFIELD K.M., TOBIN G. & WHITAKER E.M. The role of thyroid hormones in the metabolic response to cold in the rat. (C) 73*P*

IRVING G. *see* ADAMS J.H., IRVING G., KOESLAG J.H., LOCHNER J. de V., SANDELL R.C. & WILKINSON C. β-Adrenergic blockade restores glucose's antiketogenic activity after exercise in carbohydrate-depleted athletes. 439

JACKSON D. *see* ANIL M.H., FORBES J.M., HOYLE B.S., JACKSON D. & JOHNSON C.L. Automatic monitoring of the feeding behaviour of cattle. (D) 5*P*

JEWELL B.R. Apparatus for advanced class experiments in the field of muscle mechanics. (D) 4*P*

JOHNSON C.L. *see* ANIL M.H., FORBES J.M., HOYLE B.S., JACKSON D. & JOHNSON C.L. Automatic monitoring of the feeding behaviour of cattle. (D) 5*P*

JONES Christopher J. & QUINTON Paul M. Intracellular and transepithelial electrical measurements on microperfused ducts from human eccrine sweat glands. (C) 81*P*

JONES S.P. & RIDGE R.M.A.P. Motor units in a skeletal muscle of neonatal rat: mechanical properties and weak neuromuscular transmission. 355

JONES S.P., RIDGE R.M.A.P. & ROWLERSON A. The non-selective innervation of muscle fibres and mixed composition of motor units in a muscle of neonatal rat. 377

JONES S.P., RIDGE R.M.A.P. & ROWLERSON A. Rat muscle during post-natal development: evidence in favour of no interconversion between fast- and slow-twitch fibres. 395

KADO Raymond T. *see* GIAUME Christian, KADO Raymond T. & KORN Henri Voltage-clamp analysis of a crayfish rectifying synapse. 91

KARIM F. *see* AL-OBAIDI M., KARIM F., MAJID D.S.A & MERSAOUI A.A. Studies of renal responses to stimulation of carotid baroreceptors, chemoreceptors and atrial receptors, and to acute coronary occlusion in anaesthetized dogs. (D) 14*P*

KARIM F. & MAJID D.S.A. The influence of carotid sinus pressure on renal responses to left atrial receptor stimulation in anaesthetized dogs. (C) 38*P*

KARIM F. *see* AL-OBAIDI M., KARIM F., MAJID D.S.A. & MERSAOUI A.A. The renal responses to occlusion of a branch of the left coronary artery in anaesthetized dogs. 100*P*

KASHIHARA Y., KUNO M. & MIYATA Y. Cell death of axotomized motoneurones in neonatal rats, and its prevention by peripheral reinnervation. 135

KAVANAGH P. *see* GREENSTEIN J., KAVANAGH P. & ROWE Mark J. Phase coherence in vibration-induced responses of tactile fibres associated with Pacinian corpuscle receptors in the cat. 263

KHAN M. & O'MÁILLE E.R.L. High biliary HCO_3^- concentration and hypercholeresis induced by hyodeoxycholate in the rat. 106*P*

KLOPPER A. *see* ABRAMOVICH D.R., DACKE C.G., HENDERSON K., KLOPPER A., PAGE K.R. & WAMBUSI H. Release of proteins from the human placenta perfused *in vitro*. 94*P*

KNIBBS A.V. *see* HAMPTON I.F.G. & KNIBBS A.V. Human exercise in cold and wind: the physiological consequence of wet clothes. 97*P*

KOESLAG J.H. *see* ADAMS J.H., IRVING G., KOESLAG J.H., LOCHNER J. de V., SANDELL R.C. & WILKINSON C. β-Adrenergic blockade restores glucose's antiketogenic activity after exercise in carbohydrate-depleted athletes. 439

KONNERTH A., LUX H.D. & MORAD M. Proton-induced transformation of calcium channel in chick dorsal root ganglion cells. 603

KORN Henri *see* GIAUME Christian, KADO Raymond T. & KORN Henri Voltage-clamp analysis of a crayfish rectifying synapse. 91

KUNO M. *see* KASHIHARA Y., KUNO M. & MIYATA Y. Cell death of axotomized motoneurones in neonatal rats, and its prevention by peripheral reinnervation. 135

KWAN-YEUNG L. *see* DRYDEN W.F., KWAN-YEUNG L. & TAWFIK N.H. Free radical scavengers reduce the different incidences of isoprenaline induced dysrhythmia in isolated atria from rats fed lipid-supplemented diets. (C) 93*P*

LAMONT Christine & MILLER David J. Hypertonic shrinkage of the lattice spacing of chemically skinned cardiac muscle increases Ca sensitivity and peak force. (C) 57*P*

LANDE S. *see* DOLLY J.O., LANDE S. & W.-WRAY D. The effects of *in vitro* application of purified botulinum neurotoxin at mouse motor nerve terminals. 475

LANDYMORE Kathleen M. & WILKINSON Michael Neonatal naloxone or gonadotrophin releasing hormone treatment accelerates the onset of puberty in female rats. (C) 76*P*

LANGE G. David *see* BARKER Jeffrey L., HARRISON Neil L., LANGE G. David & OWEN David G. Potentiation of γ-aminobutyric-acid-activated chloride conductance by a steroid anaesthetic in cultured rat spinal neurones. 485

LAW R.O. & TURNER D.P.J. Are ninhydrin-positive substances volume-regulatory osmolytes in rat renal papillary cells? 45

LEIPER J.B. Comparison of absorption rates from glucose-electrolyte solutions containing citrate or betaine hydrocholoride perfusing a segment of human jejunum. 107*P*

LEVI A.J. *see* BOYETT M.R., HAMILTON D.L. & LEVI A.J. A simple model of changes of the intracellular sodium activity (a_{Na}) on binding of cardiac glycosides to the sodium–potassium pump of the heart. 115*P*

LEVI Allan J. *see* HAMILTON Duncan L. & LEVI Allan J. Recovery of intracellular sodium activity (a_{Na}) after exposing isolated sheep Purkinje fibres to different cardiac glycosides. (C) 55*P*

LEVIN R.J., WRAGG M.S. & YOUNG A. Starvation and ileal secretion in the rat. (C) 63*P*

LO V.K.F. *see* BATTEN T.F.C. & LO V.K.F. Immunohistochemical localization of peptides and amines in the brain stem of the cat. 103*P*

LOCHNER J. de V. *see* ADAMS J.H., IRVING G., KOESLAG J.H., LOCHNER J. de V., SANDELL R.C. & WILKINSON C. β-Adrenergic blockade restores glucose's antiketogenic activity after exercise in carbohydrate-depleted athletes. 439

LORRABAQUIO-SANCHEZ D. & RENNIE M.J. Decreased sugar uptake as a result of changes in the kinetic characteristics of transport in Zucker obese rats. 117*P*

LOTE C.J. *see* HARRIS S. & LOTE C.J. Effect of pH on prostaglandin E_2 and $F_{2\alpha}$ release from rat renal papillary slices. (C) 43*P*

LOVERIDGE N. *see* ABBAS S.K., CAPLE I.W., CARE A.D., LOVERIDGE N., MARTIN T.J., PICKARD D.W. & RODDA C. The role of the parathyroid glands in fetal calcium homeostasis in the sheep. (C) 27*P*

LUMB B.M. & MORRISON J.F.B. Electrophysiological investigations of the projection from the parabrachial region (PB) to nucleus raphe magnus (NRM) in the anaesthetized rat. (C) 30*P*

LUND J.P. & MATTHEWS B. Tension produced in the jaw muscles of the rabbit by sympathetic stimulation. (C) 86*P*

LUNDGREN O. *see* BUTCHER Penny A., HEMLIN M., LUNDGREN O. & SJOVALL H. The effects of sympathetic nerve stimulation on transepithelial potential difference and short-circuit current in rat jejunum, *in vivo* and *in vitro*. (C) 79*P*

LUNG M.A. & WIDDICOMBE J.G. Lung reflexes and nasal vascular resistance in the anaesthetized dog. 465

LUX H.D. *see* CARBONE E. & LUX H.D. Kinetics and selectivity of a low-voltage-activated calcium current in chick and rat sensory neurones. 547

LUX H.D. *see* CARBONE E. & LUX H.D. Single low-voltage-activated calcium channels in chick and rat sensory neurones. 571

LUX H.D. *see* KONNERTH A., LUX H.D. & MORAD M. Proton-induced transformation of calcium channel in chick dorsal root ganglion cells. 603

MCCLOSKEY D.I. *see* FERRELL W.R., GANDEVIA S.C. & MCCLOSKEY D.I. The role of joint receptors in human kinaesthesia when intramuscular receptors cannot contribute. 63

MCCLOSKEY D.I. *see* COLEBATCH J.G. & MCCLOSKEY D.I. Maintenance of constant arm position or force: reflex and volitional components in man. 247

MACDONALD I.A. *see* FELLOWS I.W., MACDONALD I.A. & MANSELL P.I. Metabolic and cardiovascular effects of infusions of low doses of isoprenaline in man. (C) 48*P*

MCGREGOR K.H. *see* CRISP A.J., HAINSWORTH R., MCGREGOR K.H. & TUTT S.M. A method of stimulation of left ventricular receptors in anaesthetized dogs. (D) 11*P*

MCKENZIE J.D. *see* HETHERINGTON M.S., MCKENZIE J.D., SYED N.I. & WINLOW W. Locomotion in *Lymnaea*. (D) 15*P*

MCKENZIE J.D., SYED N.I., TRIPP J. & WINLOW W. Innervation of ciliated cells and mucus-containing cells in *Lymnaea*. (C) 32*P*

MCWILLIAM P.N. *see* FORD T.W., MCWILLIAM P.N. & WOOLLEY D.C. The effects of stimulation of non-myelinated vagal fibres on heart rate in the rabbit. (D) 8*P*

MCWILLIAM P.N. *see* FORD T.W., MCWILLIAM P.N. & SHEPHEARD S.L. A multibarrelled platinum-coated micro-electrode. (D) 9*P*

MCWILLIAM P.N. & WOOLLEY D.C. The action of myelinated and non-myelinated vagal fibres on atrial contraction in the rabbit. (C) 46*P*

MCWILLIAM P.N. & SHEPHEARD S.L. The effects of glycine on interneurones in the nucleus tractus solitarius activated following electrical stimulation of cardiac and pulmonary vagal branches of the cat. 101*P*

MAIN Kathryn E. *see* HUNTER M.J. & MAIN Kathryn E. Excision-activated non-selective ion channels in mouse oocytes. (C) 80*P*

MAJID D.S.A *see* AL-OBAIDI M., KARIM F., MAJID D.S.A & MERSAOUI A.A. Studies of renal responses to stimulation of carotid baroreceptors, chemoreceptors and atrial receptors, and to acute coronary occlusion in anaesthetized dogs. (D) 14*P*

MAJID D.S.A. *see* KARIM F. & MAJID D.S.A. The influence of carotid sinus pressure on renal responses to left atrial receptor stimulation in anaesthetized dogs. (C) 38*P*

MAJID D.S.A. *see* AL-OBAIDI M., KARIM F., MAJID D.S.A. & MERSAOUI A.A. The renal responses to occlusion of a branch of the left coronary artery in anaesthetized dogs. 100*P*

MANSELL P.I. *see* FELLOWS I.W., MACDONALD I.A. & MANSELL P.I. Metabolic and cardiovascular effects of infusions of low doses of isoprenaline in man. (C) 48*P*

MARSHALL Janice M. & METCALFE J.D. Are the defence areas involved in the response to systemic hypoxia in the rat? (C) 69*P*

MARTIN R.J. *see* GINSBORG B.L., MARTIN R.J. & PATMORE L. On the electrical properties of a human neuroblastoma cell-line (IMR-32). 111*P*

MARTIN T.J. *see* ABBAS S.K., CAPLE I.W., CARE A.D., LOVERIDGE N., MARTIN T.J., PICKARD D.W. & RODDA C. The role of the parathyroid glands in fetal calcium homeostasis in the sheep. (C) 27*P*

MARY D.A.S.G. *see* DRINKHILL M.J., HASSAN A.A.M., HICKS M.N., MARY D.A.S.G., RAMADAN M.R.M. & VACCA G. Distension of the urinary bladder in the study of related cardiovascular reflexes in the dog. (D) 3*P*

MASONR. *see* HARRINGTON M.E., MASONR. & RUSAK B. The effects of neuropeptide-Y (NPY) on hamster suprachiasmatic neurones recorded *in vitro*. (C) 91*P*

MATTHEWS B. *see* HOLLAND G.R., MATTHEWS B. & ROBINSON P.P. An electrophysiological and morphological study of the innervation and reinnervation of cat dentine. 31

MATTHEWS B. *see* LUND J.P. & MATTHEWS B. Tension produced in the jaw muscles of the rabbit by sympathetic stimulation. (C) 86*P*

MAUGHAN R.J. *see* GREENHAFF P.L. & MAUGHAN R.J. Respiratory alkalosis and the performance of high-intensity exercise in man. (C) 68*P*

MAUGHAN R.J. *see* GLEESON M. & MAUGHAN R.J. Changes in ascorbic acid content of plasma and lymphocytes following exercise in man. 98*P*

MAVOR A.I.D. *see* FOR-TAI LAM F., GILES G.R., HAMILTON D., MAVOR A.I.D. & POTTS D.J. Renal function in the pig following autotransplantation of the left kidney after 24 hours preservation with phosphate-buffered sucrose solution, with immediate contralateral nephrectomy. (C) 42*P*

MBANYA J.N. *see* ANIL M.H., FORBES J.M. & MBANYA J.N. Additive effects of acetate, propionate and distension of the rumen on hay intake by lactating cows. (C) 61*P*

MELLOR D.J. *see* FIELD A.C., HODGSON J.C. & MELLOR D.J. Lactate–glucose interrelationships in the pregnant ewe and conceptus. (C) 19*P*

MELLOR D.J. & MURRAY L. Effects of tail docking and castration on behaviour and plasma cortisol concentrations in young lambs. (C) 74*P*

MERAD Z. & WILD A.E. Transport of endogenous IgM across the rabbit yolk-sac splanchnopleure. (C) 17*P*

MERSAOUI A.A. *see* AL-OBAIDI M., KARIM F., MAJID D.S.A & MERSAOUI A.A. Studies of renal responses to stimulation of carotid baroreceptors, chemoreceptors and atrial receptors, and to acute coronary occlusion in anaesthetized dogs. (D) 14*P*

MERSAOUI A.A. *see* AL-OBAIDI M., KARIM F., MAJID D.S.A. & MERSAOUI A.A. The renal responses to occlusion of a branch of the left coronary artery in anaesthetized dogs. 100*P*

METCALFE J.D. *see* MARSHALL Janice M. & METCALFE J.D. Are the defence areas involved in the response to systemic hypoxia in the rat? (C) 69*P*

MEYER T. *see* BINDMAN Lynn J., MEYER T. & POCKETT Susan Long-term potentiation in rat neocortical neurones in slices, produced by repetitive pairing of an afferent volley with intracellular depolarizing current. (C) 90*P*

MILEDI R. *see* GUNDERSEN C.B., MILEDI R. & PARKER I. Serotonin receptors expressed by brain mRNA in *Xenopus* oocytes mediate three different ionic currents. (C) 83*P*

MILLER David J. *see* LAMONT Christine & MILLER David J. Hypertonic shrinkage of the lattice spacing of chemically skinned cardiac muscle increases Ca sensitivity and peak force. (C) 57*P*

MILLER R.W.S. *see* AITKEN J.C., MILLER R.W.S. & THOMPSON J. A methodology for the determination of maximal aerobic power in the elderly. 96*P*

MIYATA Y. *see* KASHIHARA Y., KUNO M. & MIYATA Y. Cell death of axotomized motoneurones in neonatal rats, and its prevention by peripheral reinnervation. 135

MOORE J.A. *see* APPENTENG K. & MOORE J.A. Intracellular recordings from trigeminal motoneurones and interneurones in anaesthetized rats. (D) 15*P*

MORAD M. *see* KONNERTH A., LUX H.D. & MORAD M. Proton-induced transformation of calcium channel in chick dorsal root ganglion cells. 603

MORLEY C.A. *see* AL-SHAMMA Y.M.H., HAINSWORTH R. & MORLEY C.A. Cardiovascular responses in humans to baroreceptor stimulation. 105*P*

MORRIS R. & OSITELU D.O. Retrograde labelling of somatostatin-containing neurones in the trigeminal ganglion following subcutaneous injections of neuronal pathway tracers in the rat. 102*P*

MORRISON J.F.B. *see* GENT J.P., HUGHES I.E., MORRISON J.F.B. & ORCHARD C.H. A computer-aided self-teaching system based on multiple-choice questions. 15*P*

MORRISON J.F.B. *see* LUMB B.M. & MORRISON J.F.B. Electrophysiological investigations of the projection from the parabrachial region (PB) to nucleus raphe magnus (NRM) in the anaesthetized rat. (C) 30*P*

MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The distribution of beta-adrenoceptors in the rat uterus. (C) 72*P*

MOTT J.C. *see* BROMLEY L., FRANCIS M.J.O. & MOTT J.C. Plasma calcium in anephric fetal lambs and maternal food intake. (C) 23*P*

MOTT J.C. *see* BOMFORD J. & MOTT J.C. Arterial pressure and plasma calcium in anephric fetal lambs. (C) 24*P*

MUGHAL M.Z., ROBINSON N.R. & SIBLEY C.P. The role of maternal vitamin D status in maternofetal calcium exchange across the rat placenta. (C) 22*P*

MURAKAMI Motohiko & TAKAHASHI Kyoh-Ichi Calcium action potential and its use for measurement of reversal potentials of horizontal cell responses in carp retina. 165

MURPHY Christine T. & SHENNAN D.B. Potassium (tracer ^{86}Rb) transport across the microvillus membrane of human term placenta. 110*P*

MURRAY L. *see* MELLOR D.J. & MURRAY L. Effects of tail docking and castration on behaviour and plasma cortisol concentrations in young lambs. (C) 74*P*

NAOUM H.G. *see* DE CHAZAL R.C.S., CONTRACTOR S.F., EATON B.M. & NAOUM H.G. Characterization of lipoprotein receptor on microvillous membranes isolated from normal term human placenta. 95*P*

NEHER E. *see* ALMERS W. & NEHER E. Gradual and stepwise changes in the membrane capacitance of rat peritoneal mast cells. 205

NEILD T.O. Actions of neuropeptide Y on innervated and denervated rat tail arteries. 19

NIMMO A.J. *see* MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The distribution of beta-adrenoceptors in the rat uterus. (C) 72*P*

NOBLE A.R. & PARKER J.C. Pentobarbitone anaesthesia-induced changes in plasma-active and -inactive renin. Studies using indomethacin in conscious and anaesthetized sheep. (C) 44*P*

NORTH R.A. & TOKIMASA T. Persistent calcium-sensitive potassium current and the resting properties of guinea-pig myenteric neurones. 333

O'DONNELL C.P. Heart-rate changes during hypoxia in the anaesthetized cat. (C) 71*P*

O'MÁILLE E.R.L. *see* KHAN M. & O'MÁILLE E.R.L. High biliary HCO_3^- concentration and hypercholeresis induced by hyodeoxycholate in the rat. 106*P*

ORCHARD C.H. *see* GENT J.P., HUGHES I.E., MORRISON J.F.B. & ORCHARD C.H. A computer-aided self-teaching system based on multiple-choice questions. 15*P*

OSCARSSON O. *see* EKEROT C.-F., GUSTAVSSON P., OSCARSSON O. & SCHOUENBORG J. Climbing fibres projecting to cat cerebellar anterior lobe activated by cutaneous A and C fibres. 529

OSCARSSON O. *see* EKEROT C.-F., OSCARSSON O. & SCHOUENBORG J. Stimulation of cat cutaneous nociceptive C fibres causing tonic and synchronous activation in climbing fibres. 539

OSITELU D.O. *see* MORRIS R. & OSITELU D.O. Retrograde labelling of somatostatin-containing neurones in the trigeminal ganglion following subcutaneous injections of neuronal pathway tracers in the rat. 102*P*

OWEN David G. *see* BARKER Jeffrey L., HARRISON Neil L., LANGE G. David & OWEN David G. Potentiation of γ-aminobutyric-acid-activated chloride conductance by a steroid anaesthetic in cultured rat spinal neurones. 485

PAGE K.R. *see* ABRAMOVICH, D.R., DACKE C.G., ELCOCK C. & PAGE K.R. Effect of dinitrophenol on calcium transfer across the dually perfused human placental lobule. (C) 21*P*

PAGE K.R. *see* ABRAMOVICH D.R., DACKE C.G., HENDERSON K., KLOPPER A., PAGE K.R. & WAMBUSI H. Release of proteins from the human placenta perfused *in vitro*. 94*P*

PARKER I. *see* GUNDERSEN C.B., MILEDI R. & PARKER I. Serotonin receptors expressed by brain mRNA in *Xenopus* oocytes mediate three different ionic currents. (C) 83*P*

PARKER J.C. *see* NOBLE A.R. & PARKER J.C. Pentobarbitone anaesthesia-induced changes in plasma-active and inactive renin. Studies using indomethacin in conscious and anaesthetized sheep. (C) 44*P*

PATMORE L. *see* GINSBORG B.L., MARTIN R.J. & PATMORE L. On the electrical properties of a human neuroblastoma cell-line (IMR-32). 111*P*

PEAKER M. & TAYLOR Eleanor Bumetanide binding to milk fat globule membrane. (C) 75*P*

PENNER Reinhold *see* DREYER Florian & PENNER Reinhold The actions of presynaptic snake toxins on membrane currents of mouse motor nerve terminals. 455

PICKARD D.W. *see* BEARDSWORTH Lindsay J., BEARDSWORTH P.M., CARE A.D. & PICKARD D.W. A demonstration of the temporarily isolated and washed-rumen technique in the sheep. (D) 7*P*

PICKARD D.W. *see* ABBAS S.K., CAPLE I.W., CARE A.D., LOVERIDGE N., MARTIN T.J., PICKARD D.W. & RODDA C. The role of the parathyroid glands in fetal calcium homeostasis in the sheep. (C) 27*P*

PIRIE Susan C. *see* BECK J.S., BROOK J., PIRIE Susan C. & POTTS D.J. A method for the rapid exchange of luminal perfusate in the *in vitro* perfused proximal convoluted tubule of the rabbit. (D) 12*P*

PIRIE Susan C. & POTTS D.J. An approach to the measurement of intraluminal hydrostatic pressure in the isolated perfused rabbit tubule preparation. (D) 13*P*

PIRIE Susan C. *see* FERWANA O., PIRIE Susan C. & POTTS D.J. A technique for the investigation of the effects of protective flush solutions in the prevention of warm ischaemic damage in the rat kidney. (D) 15*P*

PIRIE Susan C. *see* BECK J., BROOK J., PIRIE Susan C. & POTTS D.J. Methods used in the preparation of micropipettes for microperfusion of kidney tubule segments *in vitro*. (D) 15*P*

PIRIE Susan C. *see* BECK J.S., PIRIE Susan C. & POTTS D.J. The effect of barium on the basolateral membrane potential of the isolated perfused rabbit proximal tubule. (C) 40*P*

PIRIE Susan C. *see* FERWANA O.S., PIRIE Susan C. & POTTS D.J. Phosphate-buffered sucrose flush protects rat kidney function during normothermic renal ischaemia. (C) 41*P*

POCKETT Susan *see* BINDMAN Lynn J., MEYER T. & POCKETT Susan Long-term potentiation in rat neocortical neurones in slices, produced by repetitive pairing of an afferent volley with intracellular depolarizing current. (C) 90*P*

POLLOCK D. *see* BOYLE S.J. & POLLOCK D. Effects of drugs on field stimulation-induced ^{3}H-noradrenaline overflow and responses of rat isolated atria. (C) 53*P*

POTTS D.J. *see* BECK J.S., BROOK J., PIRIE Susan C. & POTTS D.J. A method for the rapid exchange of luminal perfusate in the *in vitro* perfused proximal convoluted tubule of the rabbit. (D) 12*P*

POTTS D.J. *see* PIRIE Susan C. & POTTS D.J. An approach to the measurement of intraluminal hydrostatic pressure in the isolated perfused rabbit tubule preparation. (D) 13*P*

POTTS D.J. *see* FERWANA O., PIRIE Susan C. & POTTS D.J. A technique for the investigation of the effects of protective flush solutions in the prevention of warm ischaemic damage in the rat kidney. (D) 15*P*

POTTS D.J. *see* BECK J., BROOK J., PIRIE Susan C. & POTTS D.J. Methods used in the preparation of micropipettes for microperfusion of kidney tubule segments *in vitro*. (D) 15*P*

POTTS D.J. *see* BECK J.S., PIRIE Susan C. & POTTS D.J. The effect of barium on the basolateral membrane potential of the isolated perfused rabbit proximal tubule. (C) 40*P*

POTTS D.J. *see* FERWANA O.S., PIRIE Susan C. & POTTS D.J. Phosphate-buffered sucrose flush protects rat kidney function during normothermic renal ischaemia. (C) 41*P*

POTTS D.J. *see* FOR-TAI LAM F., GILES G.R., HAMILTON D., MAVOR A.I.D. & POTTS D.J. Renal function in the pig following autotransplantation of the left kidney after 24 hours preservation with phosphate-buffered sucrose solution, with immediate contralateral nephrectomy. (C) 42*P*

QUINTERN J. *see* DIETZ V., QUINTERN J. & SILLEM M. Stumbling reactions in man: significance of proprioceptive and pre-programmed mechanisms. 149

QUINTON Paul M. *see* JONES Christopher J. & QUINTON Paul M. Intracellular and transepithelial electrical measurements on microperfused ducts from human eccrine sweat glands. (C) 81*P*

RAHAMIMOFF R. *see* DERIEMER Susan A., RAHAMIMOFF R., SAKMANN B. & STADLER H. Conductances and channels in fused synaptic vesicles from *Torpedo* electric organ. (C) 84*P*

RAMADAN M.R.M. *see* DRINKHILL M.J., HASSAN A.A.M., HICKS M.N., MARY D.A.S.G., RAMADAN M.R.M. & VACCA G. Distension of the urinary bladder in the study of related cardiovascular reflexes in the dog. (D) 3*P*

RAYFIELD K.M. *see* HERVEY G.R., HUSSAIN S.H., RAYFIELD K.M., TOBIN G. & WHITAKER E.M. The role of thyroid hormones in the metabolic response to cold in the rat. (C) 73*P*

RAYMOND Stephen A. *see* CARLEY L. Richard & RAYMOND Stephen A. Comparison of the after-effects of impulse conduction on threshold at nodes of Ranvier along single frog sciatic axons. 503

RENNIE M.J. *see* LORRABAQUIO-SANCHEZ D. & RENNIE M.J. Decreased sugar uptake as a result of changes in the kinetic characteristics of transport in Zucker obese rats. 117*P*

RICHARDS D.E. Direct evidence for tight binding of cobalt ions to phosphorylated forms of canine Na^+,K^+-ATPase. 112*P*

RIDGE R.M.A.P. *see* JONES S.P. & RIDGE R.M.A.P. Motor units in a skeletal muscle of neonatal rat: mechanical properties and weak neuromuscular transmission. 355

RIDGE R.M.A.P. *see* JONES S.P., RIDGE R.M.A.P. & ROWLERSON A. The non-selective innervation of muscle fibres and mixed composition of motor units in a muscle of neonatal rat. 377

RIDGE R.M.A.P. *see* JONES S.P., RIDGE R.M.A.P. & ROWLERSON A. Rat muscle during post-natal development: evidence in favour of no interconversion between fast- and slow-twitch fibres. 395

ROBERTS A. The chronotropic response of the isolated rabbit sinoatrial node to acetylcholine is dependent upon previous exposures to the drug. (C) 56P

ROBINSON J. *see* CANAVAN J.P., EL HAJ A.J., GOLDSPINK D.F. & ROBINSON J. Growth of the rat placenta during normal and diabetic pregnancies. (C) 28P

ROBINSON N.R. *see* MUGHAL M.Z., ROBINSON N.R. & SIBLEY C.P. The role of maternal vitamin D status in maternofetal calcium exchange across the rat placenta. (C) 22P

ROBINSON P.P. *see* HOLLAND G.R., MATTHEWS B. & ROBINSON P.P. An electrophysiological and morphological study of the innervation and reinnervation of cat dentine. 31

RODDA C. *see* ABBAS S.K., CAPLE I.W., CARE A.D., LOVERIDGE N., MARTIN T.J., PICKARD D.W. & RODDA C. The role of the parathyroid glands in fetal calcium homeostasis in the sheep. (C) 27P

RODRIGO G.C. *see* CHAPMAN R.A. & RODRIGO G.C. Intracellular sodium activity in isolated guinea-pig cardiac myocytes in normal Tyrode solution and during exposure to calcium-free solution. 116P

ROWE Mark J. *see* GREENSTEIN J., KAVANAGH P. & ROWE Mark J. Phase coherence in vibration-induced responses of tactile fibres associated with Pacinian corpuscle receptors in the cat. 263

ROWE Mark J. *see* FERRINGTON D.G., HORNIBLOW S. & ROWE Mark J. Temporal patterning in the responses of gracile and cuneate neurones in the cat to cutaneous vibration. 277

ROWE Mark J. *see* FERRINGTON D.G., ROWE Mark J. & TARVIN R.P.C. Actions of single sensory fibres on cat dorsal column nuclei neurones: vibratory signalling in a one-to-one linkage. 293

ROWE Mark J. *see* FERRINGTON D.G., ROWE Mark J. & TARVIN R.P.C. Integrative processing of vibratory information in cat dorsal column nuclei neurones driven by identified sensory fibres. 311

ROWLERSON A. *see* JONES S.P., RIDGE R.M.A.P. & ROWLERSON A. The non-selective innervation of muscle fibres and mixed composition of motor units in a muscle of neonatal rat. 377

ROWLERSON A. *see* JONES S.P., RIDGE R.M.A.P. & ROWLERSON A. Rat muscle during post-natal development: evidence in favour of no interconversion between fast- and slow-twitch fibres. 395

RUSAK B. *see* HARRINGTON M.E., MASONR. & RUSAK B. The effects of neuropeptide-Y (NPY) on hamster suprachiasmatic neurones recorded *in vitro*. (C) 91P

SAKMANN B. *see* DERIEMER Susan A., RAHAMIMOFF R., SAKMANN B. & STADLER H. Conductances and channels in fused synaptic vesicles from *Torpedo* electric organ. (C) 84P

SANDELL R.C. *see* ADAMS J.H., IRVING G., KOESLAG J.H., LOCHNER J. de V., SANDELL R.C. & WILKINSON C. β-Adrenergic blockade restores glucose's antiketogenic activity after exercise in carbohydrate-depleted athletes. 439

SASTRY B.R. *see* CHIRWA S.S. & SASTRY B.R. Chemical and post-synaptic modulation of the induction of synaptic potentiation in guinea-pig hippocampus *in vitro*. (C) 29P

SCHOUENBORG J. *see* EKEROT C.-F., GUSTAVSSON P., OSCARSSON O. & SCHOUENBORG J. Climbing fibres projecting to cat cerebellar anterior lobe activated by cutaneous A and C fibres. 529

SCHOUENBORG J. *see* EKEROT C.-F., OSCARSSON O. & SCHOUENBORG J. Stimulation of cat cutaneous nociceptive C fibres causing tonic and synchronous activation in climbing fibres. 539

SCOTT R.H. *see* DOLPHIN A.C. & SCOTT R.H. Calcium channel currents and their inhibition by (−)-baclofen in rat sensory neurones: modulation by guanine nucleotides. 1

SCRATCHERD T. & SCRATCHERD T.J. A data acquisition and analysis package for empirical waveforms. (D) 2P

SCRATCHERD T. *see* BULL Judith S., GRUNDY D. & SCRATCHERD T. Motor response of the canine jejunum to variable periods of gastric distension. (C) 60P

SCRATCHERD T.J. *see* SCRATCHERD T. & SCRATCHERD T.J. A data acquisition and analysis package for empirical waveforms. (D) 2P

SHENNAN D.B. *see* MURPHY Christine T. & SHENNAN D.B. Potassium (tracer ^{86}Rb) transport across the microvillus membrane of human term placenta. 110P

SHEPHEARD S.L. *see* FORD T.W., MCWILLIAM P.N. & SHEPHEARD S.L. A multibarrelled platinum-coated micro-electrode. (D) 9P

SHEPHEARD S.L. *see* MCWILLIAM P.N. & SHEPHEARD S.L. The effects of glycine on interneurones in the nucleus tractus solitarius activated following electrical stimulation of cardiac and pulmonary vagal branches of the cat. 101P

SHIRLEY D.G., WALTER S.J. & ZEWDE T. Renal function in the rat before and after preparation for micropuncture studies. (C) 45P

SIBLEY C.P. *see* MUGHAL M.Z., ROBINSON N.R. & SIBLEY C.P. The role of maternal vitamin D status in maternofetal calcium exchange across the rat placenta. (C) 22P

SIBLEY C.P. *see* BOYD R.D.H., GLAZIER J.D., SIBLEY C.P. & WARD B.S. Effects of adrenergic agonists and a β-antagonist on the maternofetal potential difference (p.d.) fetal heart rate and fetal blood pressure (B.P.) in the unanaesthetized pig. (C) 25*P*

SIGEL Erwin Properties of single sodium channels translated by *Xenopus* oocytes after injection with messenger ribonucleic acid. 73

SILLEM M. *see* DIETZ V., QUINTERN J. & SILLEM M. Stumbling reactions in man: significance of proprioceptive and pre-programmed mechanisms. 149

SIVAPALAN K. & TOBIN G. Effects of meal frequency on energy expenditure and body weight in adult rats. (C) 62*P*

SJOVALL H. *see* BUTCHER Penny A., HEMLIN M., LUNDGREN O. & SJOVALL H. The effects of sympathetic nerve stimulation on transepithelial potential difference and short-circuit current in rat jejunum, *in vivo* and *in vitro*. (C) 79*P*

SOLOMON L. *see* ATHERTON J.C., GREEN R. & SOLOMON L. Effect of dietary protein intake on renal handling of sodium and water in man. (C) 37*P*

STADLER H. *see* DeRIEMER Susan A., RAHAMIMOFF R., SAKMANN B. & STADLER H. Conductances and channels in fused synaptic vesicles from *Torpedo* electric organ. (C) 84*P*

STEELE Janet E. *see* GAYTON R.J., STEELE Janet E. & TAYLOR D.C.M. The responses of rat striatal neurones to scrotal skin temperature. (C) 31*P*

STOKES M. *see* COOPER R.G., EDWARDS R.H.T., GIBSON H. & STOKES M. Frequency dependence of excitation and force generation in human adductor pollicis. 113*P*

STONEHAM N. *see* ASHLEY C.C., GRIFFITHS P.J. & STONEHAM N. Stiffness and tension measurements during ATP deprivation in skinned muscle fibres of *Balanus nubilus*. (C) 85*P*

STREETS D.F. *see* EDWARDS R.J., GOODERSON Patricia M.E. & STREETS D.F. Sustained operations and upper-body physical fitness. (C) 92*P*

SYED N.I. *see* HETHERINGTON M.S., McKENZIE J.D., SYED N.I. & WINLOW W. Locomotion in *Lymnaea*. (D) 15*P*

SYED N.I. *see* McKENZIE J.D., SYED N.I., TRIPP J. & WINLOW W. Innervation of ciliated cells and mucus-containing cells in *Lymnaea*. (C) 32*P*

TADESSE K. The influence of continued feeding of physiological amounts of lactose on rat intestinal lactase activity. (C) 64*P*

TAKAHASHI Kunitaro *see* HIRANO Tomoo & TAKAHASHI Kunitaro Development of ionic channels and cell-surface antigens in the cleavage-arrested one-cell embryo of an ascidian. 113

TAKAHASHI Kyoh-Ichi *see* MURAKAMI Motohiko & TAKAHASHI Kyoh-Ichi Calcium action potential and its use for measurement of reversal potentials of horizontal cell responses in carp retina. 165

TARVIN R.P.C. *see* FERRINGTON D.G., ROWE Mark J. & TARVIN R.P.C. Actions of single sensory fibres on cat dorsal column nuclei neurones: vibratory signalling in a one-to-one linkage. 293

TARVIN R.P.C. *see* FERRINGTON D.G., ROWE Mark J. & TARVIN R.P.C. Integrative processing of vibratory information in cat dorsal column nuclei neurones driven by identified sensory fibres. 311

TAWFIK N.H. *see* DRYDEN W.F., KWAN-YEUNG L. & TAWFIK N.H. Free radical scavengers reduce the different incidences of isoprenaline induced dysrhythmia in isolated atria from rats fed lipid-supplemented diets. (C) 93*P*

TAYLOR D.C.M. *see* GAYTON R.J., STEELE Janet E. & TAYLOR D.C.M. The responses of rat striatal neurones to scrotal skin temperature. (C) 31*P*

TAYLOR Eleanor *see* PEAKER M. & TAYLOR Eleanor Bumetanide binding to milk fat globule membrane. (C) 75*P*

THOMPSON J. *see* AITKEN J.C., MILLER R.W.S. & THOMPSON J. A methodology for the determination of maximal aerobic power in the elderly. 96*P*

TOBIN G. *see* SIVAPALAN K. & TOBIN G. Effects of meal frequency on energy expenditure and body weight in adult rats. (C) 62*P*

TOBIN G. *see* HERVEY G.R., HUSSAIN S.H., RAYFIELD K.M., TOBIN G. & WHITAKER E.M. The role of thyroid hormones in the metabolic response to cold in the rat. (C) 73*P*

TOKIMASA T. *see* NORTH R.A. & TOKIMASA T. Persistent calcium-sensitive potassium current and the resting properties of guinea-pig myenteric neurones. 333

TOOKE J.E. *see* HASSAN Ahmad A.K. & TOOKE J.E. Effect of local nervous blockade on postural vasoconstriction in man. (C) 47*P*

TOWERS J.D. *see* HAYLOR J. & TOWERS J.D. Microinjection of [^{3}H]PGE_2 into surface nephrons of the anaesthetized rat. (C) 39*P*

TRIPP J. *see* MCKENZIE J.D., SYED N.I., TRIPP J. & WINLOW W. Innervation of ciliated cells and mucus-containing cells in *Lymnaea*. (C) 32*P*

TURNER D.P.J. *see* LAW R.O. & TURNER D.P.J. Are ninhydrin-positive substances volume-regulatory osmolytes in rat renal papillary cells? 45

TUTT S.M. *see* CRISP A.J., HAINSWORTH R., MCGREGOR K.H. & TUTT S.M. A method of stimulation of left ventricular receptors in anaesthetized dogs. (D) 11*P*

VACCA G. *see* DRINKHILL M.J., HASSAN A.A.M., HICKS M.N., MARY D.A.S.G., RAMADAN M.R.M. & VACCA G. Distension of the urinary bladder in the study of related cardiovascular reflexes in the dog. (D) 3*P*

VAN KREEL B.K. Network thermodynamics applied to simulate some properties of the perfused guinea-pig placenta using the electronic network simulation program SPICE. (C) 16*P*

VICTOR Jonathan D. The dynamics of the cat retinal X cell centre. 219

VLACHOVÁ Viktorie, VYKLICKÝ L., VYKLICKÝ Jr L. & VYSKOČIL F. The action of excitatory amino acids on chick spinal cord neurones in culture. 425

VYKLICKÝ Jr L. *see* VLACHOVÁ Viktorie, VYKLICKÝ L., VYKLICKÝ Jr L. & VYSKOČIL F. The action of excitatory amino acids on chick spinal cord neurones in culture. 425

VYKLICKÝ L. *see* VLACHOVÁ Viktorie, VYKLICKÝ L., VYKLICKÝ Jr L. & VYSKOČIL F. The action of excitatory amino acids on chick spinal cord neurones in culture. 425

VYSKOČIL F. *see* VLACHOVÁ Viktorie, VYKLICKÝ L., VYKLICKÝ Jr L. & VYSKOČIL F. The action of excitatory amino acids on chick spinal cord neurones in culture. 425

WAHBHA M.M.A.E. *see* AL-SHAMMA Y.M.H., HAINSWORTH R. & WAHBHA M.M.A.E. A system for the study of cardiovascular control in humans. (D) 10*P*

WALTER S.J. *see* SHIRLEY D.G., WALTER S.J. & ZEWDE T. Renal function in the rat before and after preparation for micropuncture studies. (C) 45*P*

WAMBUSI H. *see* ABRAMOVICH D.R., DACKE C.G., HENDERSON K., KLOPPER A., PAGE K.R. & WAMBUSI H. Release of proteins from the human placenta perfused *in vitro*. 94*P*

WARD B.S. *see* BOYD R.D.H., GLAZIER J.D., SIBLEY C.P. & WARD B.S. Effects of adrenergic agonists and a β-antagonist on the maternofetal potential difference (p.d.) fetal heart rate and fetal blood pressure (B.P.) in the unanaesthetized pig. (C) 25*P*

WELLS T. *see* FORSLING Mary L. & WELLS T. The role of noradrenaline and opioid peptides on osmotically stimulated vasopressin release in conscious rats. (C) 65*P*

WHEELER C.P.D. & YUDILEVICH D.L. Control of glucose transport by insulin and prostaglandin in the isolated guinea-pig placenta. (C) 20*P*

WHITAKER E.M. *see* HERVEY G.R., HUSSAIN S.H., RAYFIELD K.M., TOBIN G. & WHITAKER E.M. The role of thyroid hormones in the metabolic response to cold in the rat. (C) 73*P*

WHITAKER Elaine M. *see* MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The distribution of beta-adrenoceptors in the rat uterus. (C) 72*P*

WHITE S.J. *see* GREEN R., GREENWOOD S.L. & WHITE S.J. Stimulation of fluid absorption by formate in the rat proximal tubule. (C) 35*P*

WIDDICOMBE J.G. *see* LUNG M.A. & WIDDICOMBE J.G. Lung reflexes and nasal vascular resistance in the anaesthetized dog. 465

WILD A.E. *see* MERAD Z. & WILD A.E. Transport of endogenous IgM across the rabbit yolk-sac splanchnopleure. (C) 17*P*

WILKINSON Michael *see* LANDYMORE Kathleen M. & WILKINSON Michael Neonatal naloxone or gonadotrophin releasing hormone treatment accelerates the onset of puberty in female rats. (C) 76*P*

WILKINSON C. *see* ADAMS J.H., IRVING G., KOESLAG J.H., LOCHNER J. de V., SANDELL R.C. & WILKINSON C. β-Adrenergic blockade restores glucose's antiketogenic activity after exercise in carbohydrate-depleted athletes. 439

WILLIAMS B.A. *see* HANSON M.A. & WILLIAMS B.A. A role for brown adipose tissue (BAT) in the biphasic ventilatory response of the newborn rat to hypoxia. (C) 70*P*

WINLOW W. *see* HETHERINGTON M.S., MCKENZIE J.D., SYED N.I. & WINLOW W. Locomotion in *Lymnaea*. (D) 15*P*

WINLOW W. *see* MCKENZIE J.D., SYED N.I., TRIPP J. & WINLOW W. Innervation of ciliated cells and mucus-containing cells in *Lymnaea*. (C) 32*P*

WINLOW W. *see* GIRDLESTONE D. & WINLOW W. A relationship between neuronal topography and responses to anaesthetics in *Lymnaea*. (C) 33*P*

WOODING F.B.P. Ultrastructural evidence for placental lactogen transport and secretion in ruminants. (C) 26*P*

WOOLLEY D.C. *see* FORD T.W., MCWILLIAM P.N. & WOOLLEY D.C. The effects of stimulation of non-myelinated vagal fibres on heart rate in the rabbit. (D) 8*P*

WOOLLEY D.C. *see* MCWILLIAM P.N. & WOOLLEY D.C. The action of myelinated and non-myelinated vagal fibres on atrial contraction in the rabbit. (C) 46*P*

WRAGG M.S. *see* LEVIN R.J., WRAGG M.S. & YOUNG A. Starvation and ileal secretion in the rat. (C) 63*P*

W.-WRAY D. *see* DOLLY J.O., LANDE S. & W.-WRAY D. The effects of *in vitro* application of purified botulinum neurotoxin at mouse motor nerve terminals. 475

YOUNG A. *see* LEVIN R.J., WRAGG M.S. & YOUNG A. Starvation and ileal secretion in the rat. (C) 63*P*

YUDILEVICH D.L. *see* WHEELER C.P.D. & YUDILEVICH D.L. Control of glucose transport by insulin and prostaglandin in the isolated guinea-pig placenta. (C) 20*P*

ZATMAN P. *see* ANWANA Atim, CUTTS M., GARLAND H.O. & ZATMAN P. Renal calcium handling in streptozotocin-induced diabetes mellitus in the rat. (C) 36*P*

ZEITLIN I.J. *see* CHAKDER S.K. & ZEITLIN I.J. Action of bile acids on intestinal kallikrein-like amidase (KLA): comparison of effects in rat stomach and colon. 108*P*

ZEWDE T. *see* SHIRLEY D.G., WALTER S.J. & ZEWDE T. Renal function in the rat before and after preparation for micropuncture studies. (C) 45*P*

CONTENTS OF VOLUME 386

March 1987

DOLPHIN A.C. & SCOTT R.H. Calcium channel currents and their inhibition by (−)-baclofen in rat sensory neurones: modulation by guanine nucleotides. 1

NEILD T.O. Actions of neuropeptide Y on innervated and denervated rat tail arteries. 19

HOLLAND G.R., MATTHEWS B. & ROBINSON P.P. An electrophysiological and morphological study of the innervation and reinnervation of cat dentine. 31

LAW R.O. & TURNER D.P.J. Are ninhydrin-positive substances volume-regulatory osmolytes in rat renal papillary cells? 45

FERRELL W.R., GANDEVIA S.C. & MCCLOSKEY D.I. The role of joint receptors in human kinaesthesia when intramuscular receptors cannot contribute. 63

SIGEL Erwin Properties of single sodium channels translated by *Xenopus* oocytes after injection with messenger ribonucleic acid. 73

GIAUME Christian, KADO Raymond T. & KORN Henri Voltage-clamp analysis of a crayfish rectifying synapse. 91

HIRANO Tomoo & TAKAHASHI Kunitaro Development of ionic channels and cell-surface antigens in the cleavage-arrested one-cell embryo of an ascidian. 113

KASHIHARA Y., KUNO M. & MIYATA Y. Cell death of axotomized motoneurones in neonatal rats, and its prevention by peripheral reinnervation. 135

DIETZ V., QUINTERN J. & SILLEM M. Stumbling reactions in man: significance of proprioceptive and pre-programmed mechanisms. 149

MURAKAMI Motohiko & TAKAHASHI Kyoh-Ichi Calcium action potential and its use for measurement of reversal potentials of horizontal cell responses in carp retina. 165

CHIU S.Y. Sodium currents in axon-associated Schwann cells from adult rabbits. 181

ALMERS W. & NEHER E. Gradual and stepwise changes in the membrane capacitance of rat peritoneal mast cells. 205

VICTOR Jonathan D. The dynamics of the cat retinal X cell centre. 219

COLEBATCH J.G. & MCCLOSKEY D.I. Maintenance of constant arm position or force: reflex and volitional components in man. 247

GREENSTEIN J., KAVANAGH P. & ROWE Mark J. Phase coherence in vibration-induced responses of tactile fibres associated with Pacinian corpuscle receptors in the cat. 263

FERRINGTON D.G., HORNIBLOW S. & ROWE Mark J. Temporal patterning in the responses of gracile and cuneate neurones in the cat to cutaneous vibration. 277

FERRINGTON D.G., ROWE Mark J. & TARVIN R.P.C. Actions of single sensory fibres on cat dorsal column nuclei neurones: vibratory signalling in a one-to-one linkage. 293

FERRINGTON D.G., ROWE Mark J. & TARVIN R.P.C. Integrative processing of vibratory information in cat dorsal column nuclei neurones driven by identified sensory fibres. 311

NORTH R.A. & TOKIMASA T. Persistent calcium-sensitive potassium current and the resting properties of guinea-pig myenteric neurones. 333

JONES S.P. & RIDGE R.M.A.P. Motor units in a skeletal muscle of neonatal rat: mechanical properties and weak neuromuscular transmission. 355

JONES S.P., RIDGE R.M.A.P. & ROWLERSON A. The non-selective innervation of muscle fibres and mixed composition of motor units in a muscle of neonatal rat. 377

JONES S.P., RIDGE R.M.A.P. & ROWLERSON A. Rat muscle during post-natal development: evidence in favour of no interconversion between fast- and slow-twitch fibres. 395

FLATMAN Peter W. The effects of calcium on potassium transport in ferret red cells. 407

VLACHOVÁ Viktorie, VYKLICKÝ L., VYKLICKÝ Jr L. & VYSKOČIL F. The action of excitatory amino acids on chick spinal cord neurones in culture. 425

ADAMS J.H., IRVING G., KOESLAG J.H., LOCHNER J. de V., SANDELL R.C. & WILKINSON C. β-Adrenergic blockade restores glucose's antiketogenic activity after exercise in carbohydrate-depleted athletes. 439

DREYER Florian & PENNER Reinhold The actions of presynaptic snake toxins on membrane currents of mouse motor nerve terminals. 455

LUNG M.A. & WIDDICOMBE J.G. Lung reflexes and nasal vascular resistance in the anaesthetized dog. 465

DOLLY J.O., LANDE S. & W.-WRAY D. The effects of *in vitro* application of purified botulinum neurotoxin at mouse motor nerve terminals. 475

BARKER Jeffrey L., HARRISON Neil L., LANGE G. David & OWEN David G. Potentiation of γ-aminobutyric-acid-activated chloride conductance by a steroid anaesthetic in cultured rat spinal neurones. 485

CARLEY L. Richard & RAYMOND Stephen A. Comparison of the after-effects of impulse conduction on threshold at nodes of Ranvier along single frog sciatic axons. 503

EKEROT C.-F., GUSTAVSSON P., OSCARSSON O. & SCHOUENBORG J. Climbing fibres projecting to cat cerebellar anterior lobe activated by cutaneous A and C fibres. 529

EKEROT C.-F., OSCARSSON O. & SCHOUENBORG J. Stimulation of cat cutaneous nociceptive C fibres causing tonic and synchronous activation in climbing fibres. 539

CARBONE E. & LUX H.D. Kinetics and selectivity of a low-voltage-activated calcium current in chick and rat sensory neurones. 547

CARBONE E. & LUX H.D. Single low-voltage-activated calcium channels in chick and rat sensory neurones. 571

KONNERTH A., LUX H.D. & MORAD M. Proton-induced transformation of calcium channel in chick dorsal root ganglion cells. 603

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

7–8 *November* 1986

Leeds Meeting

DEMONSTRATIONS

Scratcherd T. & Scratcherd T.J. A data acquisition and analysis package for empirical waveforms. 2*P*

Drinkhill M.J., Hassan A.A.M., Hicks M.N., Mary D.A.S.G., Ramadan M.R.M. & Vacca G. Distension of the urinary bladder in the study of related cardiovascular reflexes in the dog. 3*P*

Jewell B.R. Apparatus for advanced class experiments in the field of muscle mechanics. 4*P*

Anil M.H., Forbes J.M., Hoyle B.S., Jackson D. & Johnson C.L. Automatic monitoring of the feeding behaviour of cattle. 5*P*

Bennett J.A. Sensory innervation of the proventriculus and gizzard of the domestic chicken. 6*P*

Beardsworth Lindsay J., Beardsworth P.M., Care A.D. & Pickard D.W. A demonstration of the temporarily isolated and washed-rumen technique in the sheep. 7*P*

Ford T.W., McWilliam P.N. & Woolley D.C. The effects of stimulation of non-myelinated vagal fibres on heart rate in the rabbit. 8*P*

Ford T.W., McWilliam P.N. & Shepheard S.L. A multibarrelled platinum-coated micro-electrode. 9*P*

Al-Shamma Y.M.H., Hainsworth R. & Wahbha M.M.A.E. A system for the study of cardiovascular control in humans. 10*P*

Crisp A.J., Hainsworth R., McGregor K.H. & Tutt S.M. A method of stimulation of left ventricular receptors in anaesthetized dogs. 11*P*

Beck J.S., Brook J., Pirie Susan C. & Potts D.J. A method for the rapid exchange of luminal perfusate in the *in vitro* perfused proximal convoluted tubule of the rabbit. 12*P*

Pirie Susan C. & Potts D.J. An approach to the measurement of intraluminal hydrostatic pressure in the isolated perfused rabbit tubule preparation. 13*P*

Al-Obaidi M., Karim F., Majid D.S.A & Mersaoui A.A. Studies of renal responses to stimulation of carotid baroreceptors, chemoreceptors and atrial receptors, and to acute coronary occlusion in anaesthetized dogs. 14*P*

Hervey G.R. Equipment for automatic recording of food intake in rats 15*P*

Ferwana O., Pirie Susan C. & Potts D.J. A technique for the investigation of the effects of protective flush solutions in the prevention of warm ischaemic damage in the rat kidney. 15*P*

Beck J., Brook J., Pirie Susan C. & Potts D.J. Methods used in the preparation of micropipettes for microperfusion of kidney tubule segments *in vitro*. 15*P*

Hetherington M.S., McKenzie J.D., Syed N.I. & Winlow W. Locomotion in *Lymnaea*. 15*P*

Appenteng K. & Moore J.A. Intracellular recordings from trigeminal motoneurones and interneurones in anaesthetized rats. 15*P*

Gent J.P., Hughes I.E., Morrison J.F.B. & Orchard C.H. A computer-aided self-teaching system based on multiple-choice questions. 15*P*

Gent J.P. & Hughes I.E. A computer-based 'short notes tutor'. 15*P*

COMMUNICATIONS

van Kreel B.K. Network thermodynamics applied to simulate some properties of the perfused guinea-pig placenta using the electronic network simulation program SPICE. 16*P*

Merad Z. & Wild A.E. Transport of endogenous IgM across the rabbit yolk-sac splanchnopleure. 17*P*

Contractor S.F. & Eaton B.M. Uptake of alpha-2-macroglobulin and its trypsin complex by the isolated perfused human placenta. 18*P*

Field A.C., Hodgson J.C. & Mellor D.J. Lactate–glucose interrelationships in the pregnant ewe and conceptus. 19*P*

Wheeler C.P.D. & Yudilevich D.L. Control of glucose transport by insulin and prostaglandin in the isolated guinea-pig placenta. 20*P*

Abramovich, D.R., Dacke C.G., Elcock C. & Page K.R. Effect of dinitrophenol on calcium transfer across the dually perfused human placental lobule. 21*P*

Mughal M.Z., Robinson N.R. & Sibley C.P. The role of maternal vitamin D status in maternofetal calcium exchange across the rat placenta. 22*P*

Bromley L., Francis M.J.O. & Mott J.C. Plasma calcium in anephric fetal lambs and maternal food intake. 23*P*

Bomford J. & Mott J.C. Arterial pressure and plasma calcium in anephric fetal lambs. 24*P*

Boyd R.D.H., Glazier J.D., Sibley C.P. & Ward B.S. Effects of adrenergic agonists and a β-antagonist on the maternofetal potential difference (p.d.) fetal heart rate and fetal blood pressure (B.P.) in the unanaesthetized pig. 25*P*

Wooding F.B.P. Ultrastructural evidence for placental lactogen transport and secretion in ruminants. 26*P*

Abbas S.K., Caple I.W., Care A.D., Loveridge N., Martin T.J., Pickard D.W. & Rodda C. The role of the parathyroid glands in fetal calcium homeostasis in the sheep. 27*P*

Canavan J.P., El Haj A.J., Goldspink D.F. & Robinson J. Growth of the rat placenta during normal and diabetic pregnancies. 28*P*

Chirwa S.S. & Sastry B.R. Chemical and post-synaptic modulation of the induction of synaptic potentiation in guinea-pig hippocampus *in vitro*. 29*P*

Lumb B.M. & Morrison J.F.B. Electrophysiological investigations of the projection from the parabrachial region (PB) to nucleus raphe magnus (NRM) in the anaesthetized rat. 30*P*

Gayton R.J., Steele Janet E. & Taylor D.C.M. The responses of rat striatal neurones to scrotal skin temperature. 31*P*

McKenzie J.D., Syed N.I., Tripp J. & Winlow W. Innervation of ciliated cells and mucus-containing cells in *Lymnaea*. 32*P*

Girdlestone D. & Winlow W. A relationship between neuronal topography and responses to anaesthetics in *Lymnaea*. 33*P*

Giebisch G. & Hunter M. Apical K^+ channels of diluting segment of *Amphiuma* kidney: a channel made of four sub-conductive units. 34*P*

Green R., Greenwood S.L. & White S.J. Stimulation of fluid absorption by formate in the rat proximal tubule. 35*P*

Anwana Atim, Cutts M., Garland H.O. & Zatman P. Renal calcium handling in streptozotocin-induced diabetes mellitus in the rat. 36*P*

Atherton J.C., Green R. & Solomon L. Effect of dietary protein intake on renal handling of sodium and water in man. 37*P*

Karim F. & Majid D.S.A. The influence of carotid sinus pressure on renal responses to left atrial receptor stimulation in anaesthetized dogs. 38*P*

Haylor J. & Towers J.D. Microinjection of [^{3}H]PGE_2 into surface nephrons of the anaesthetized rat. 39*P*

Beck J.S., Pirie Susan C. & Potts D.J. The effect of barium on the basolateral membrane potential of the isolated perfused rabbit proximal tubule. 40*P*

Ferwana O.S., Pirie Susan C. & Potts D.J. Phosphate-buffered sucrose flush protects rat kidney function during normothermic renal ischaemia. 41*P*

For-Tai Lam F., Giles G.R., Hamilton D., Mavor A.I.D. & Potts D.J. Renal function in the pig following autotransplantation of the left kidney after 24 hours preservation with phosphate-buffered sucrose solution, with immediate contralateral nephrectomy. 42*P*

Harris S. & Lote C.J. Effect of pH on prostaglandin E_2 and $F_{2\alpha}$ release from rat renal papillary slices. 43*P*

Noble A.R. & Parker J.C. Pentobarbitone anaesthesia-induced changes in plasma-active and -inactive renin. Studies using indomethacin in conscious and anaesthetized sheep. 44*P*

Shirley D.G., Walter S.J. & Zewde T. Renal function in the rat before and after preparation for micropuncture studies. 45*P*

McWilliam P.N. & Woolley D.C. The action of myelinated and non-myelinated vagal fibres on atrial contraction in the rabbit. 46*P*

Hassan Ahmad A.K. & Tooke J.E. Effect of local nervous blockade on postural vasoconstriction in man. 47*P*

Fellows I.W., Macdonald I.A. & Mansell P.I. Metabolic and cardiovascular effects of infusions of low doses of isoprenaline in man. 48*P*

Bennett T. & Gardiner S.M. Cardiac baroreflex sensitivities in water-deprived Long Evans and Brattleboro rats. 49*P*

Bennett T. & Hebden R.A. Blood pressure (B.P.) recovery following haemorrhage in rats treated with streptozotocin. 50*P*

Foulkes R. & Gardiner S.M. Effect of sequential α_1- and α_2-adrenoceptor antagonism on blood pressure (B.P.) in rats with adrenal regeneration hypertension. 51*P*

Garland C.J. Membrane and contractile responses to 5-hydroxytryptamine in the isolated rabbit basilar artery. 52*P*

Boyle S.J. & Pollock D. Effects of drugs on field stimulation-induced ^{3}H-noradrenaline overflow and responses of rat isolated atria. 53*P*

Buitenweg R., Daut J. & Elzinga G. Resting heat production of isolated superfused trabeculae from guinea-pig heart at 37 °C. 54*P*

Hamilton Duncan L. & Levi Allan J. Recovery of intracellular sodium activity (a^i_{Na}) after exposing isolated sheep Purkinje fibres to different cardiac glycosides. 55*P*

Roberts A. The chronotropic response of the isolated rabbit sinoatrial node to acetylcholine is dependent upon previous exposures to the drug. 56*P*

Lamont Christine & Miller David J. Hypertonic shrinkage of the lattice spacing of chemically skinned cardiac muscle increases Ca sensitivity and peak force. 57*P*

Bers Donald M. & Harrison Simon M. Comparison of the new calcium buffers BAPTA and Di-Bromo-BAPTA with EGTA: evaluation of purity and sensitivity to temperature and ionic strength. 58*P*

Hector M.P. Parotid salivary amylase output in man during chewing. 59*P*

Bull Judith S., Grundy D. & Scratcherd T. Motor response of the canine jejunum to variable periods of gastric distension. 60*P*

Anil M.H., Forbes J.M. & Mbanya J.N. Additive effects of acetate, propionate and distension of the rumen on hay intake by lactating cows. 61*P*

Sivapalan K. & Tobin G. Effects of meal frequency on energy expenditure and body weight in adult rats. 62*P*

Levin R.J., Wragg M.S. & Young A. Starvation and ileal secretion in the rat. 63*P*

Tadesse K. The influence of continued feeding of physiological amounts of lactose on rat intestinal lactase activity. 64*P*

Forsling Mary L. & Wells T. The role of noradrenaline and opioid peptides on osmotically stimulated vasopressin release in conscious rats. 65*P*

Ashton N., Balment R.J. & Blackburn T.P. Renal and endocrine response to kappa-opioid agonist administration in the rat. 66*P*

Clark R.W., Ford T.W. & Harris S.M. The facilitatory action of an analogue of thyrotrophin releasing hormone on spinal reflexes suppressed by endogenous opioids in the rabbit. 67*P*

Greenhaff P.L. & Maughan R.J. Respiratory alkalosis and the performance of high-intensity exercise in man. 68*P*

Marshall Janice M. & Metcalfe J.D. Are the defence areas involved in the response to systemic hypoxia in the rat? 69*P*

Hanson M.A. & Williams B.A. A role for brown adipose tissue (BAT) in the biphasic ventilatory response of the newborn rat to hypoxia. 70*P*

O'Donnell C.P. Heart-rate changes during hypoxia in the anaesthetized cat. 71*P*

Morrison J.F.B., Nimmo A.J. & Whitaker Elaine M. The distribution of beta-adrenoceptors in the rat uterus. 72*P*

Hervey G.R., Hussain S.H., Rayfield K.M., Tobin G. & Whitaker E.M. The role of thyroid hormones in the metabolic response to cold in the rat. 73*P*

Mellor D.J. & Murray L. Effects of tail docking and castration on behaviour and plasma cortisol concentrations in young lambs. 74*P*

Peaker M. & Taylor Eleanor Bumetanide binding to milk fat globule membrane. 75*P*

Landymore Kathleen M. & Wilkinson Michael Neonatal naloxone or gonadotrophin releasing hormone treatment accelerates the onset of puberty in female rats. 76*P*

Burns J.K. Serum leucine aminopeptidase levels in late human pregnancy. 77*P*

Chipperfield A.R. (Na+K) co-transport in human red cells: evidence for binding of Cl before K. 78*P*

Butcher Penny A., Hemlin M., Lundgren O. & Sjovall H. The effects of sympathetic nerve stimulation on transepithelial potential difference and short-circuit current in rat jejunum, *in vivo* and *in vitro*. 79*P*

Hunter M.J. & Main Kathryn E. Excision-activated non-selective ion channels in mouse oocytes. 80*P*

Jones Christopher J. & Quinton Paul M. Intracellular and transepithelial electrical measurements on microperfused ducts from human eccrine sweat glands. 81*P*

Argent B.E., Arkle S., Gray M.A. & Greenwell J.R. Two types of calcium-sensitive cation channels in isolated rat pancreatic duct cells. 82*P*

Gundersen C.B., Miledi R. & Parker I. Serotonin receptors expressed by brain mRNA in *Xenopus* oocytes mediate three different ionic currents. 83*P*

DeRiemer Susan A., Rahamimoff R., Sakmann B. & Stadler H. Conductances and channels in fused synaptic vesicles from *Torpedo* electric organ. 84*P*

Ashley C.C., Griffiths P.J. & Stoneham N. Stiffness and tension measurements during ATP deprivation in skinned muscle fibres of *Balanus nubilus*. 85*P*

Lund J.P. & Matthews B. Tension produced in the jaw muscles of the rabbit by sympathetic stimulation. 86*P*

Babli P. & Booth F.W. α-Actin mRNA is depressed in denervated adult rat plantaris muscle. 87*P*

Anil M.H. & Forbes J.M. Involvement of autonomic nerves in the contribution of the liver to the control of food intake in sheep. 88*P*

Beardsworth Lindsay J., Beardsworth P.M. & Care A.D. The effect of increased potassium concentration on the absorption of magnesium from the reticulo-rumen of conscious sheep. 89*P*

Bindman Lynn J., Meyer T. & Pockett Susan Long-term potentiation in rat neocortical neurones in slices, produced by repetitive pairing of an afferent volley with intracellular depolarizing current. 90*P*

Harrington M.E., MasonR. & Rusak B. The effects of neuropeptide-Y (NPY) on hamster supra-chiasmatic neurones recorded *in vitro*. 91*P*

Edwards R.J., Gooderson Patricia M.E. & Streets D.F. Sustained operations and upper-body physical fitness. 92*P*

Dryden W.F., Kwan-Yeung L. & Tawfik N.H. Free radical scavengers reduce the different incidences of isoprenaline induced dysrhythmia in isolated atria from rats fed lipid-supplemented diets. 93*P*

POSTER COMMUNICATIONS

Abramovich D.R., Dacke C.G., Henderson K., Klopper A., Page K.R. & Wambusi H. Release of proteins from the human placenta perfused *in vitro*. 94*P*

de Chazal R.C.S., Contractor S.F., Eaton B.M. & Naoum H.G. Characterization of lipoprotein receptor on microvillous membranes isolated from normal term human placenta. 95*P*

Aitken J.C., Miller R.W.S. & Thompson J. A methodology for the determination of maximal aerobic power in the elderly. 96*P*

Hampton I.F.G. & Knibbs A.V. Human exercise in cold and wind: the physiological consequence of wet clothes. 97*P*

Gleeson M. & Maughan R.J. Changes in ascorbic acid content of plasma and lymphocytes following exercise in man. 98*P*

Barnes Peter J. & Carstairs Jill R. Visualization of substance-P receptors in isolated guinea-pig lung and trachea. 99*P*

Al-Obaidi M., Karim F., Majid D.S.A. & Mersaoui A.A. The renal responses to occlusion of a branch of the left coronary artery in anaesthetized dogs. 100*P*

McWilliam P.N. & Shepheard S.L. The effects of glycine on interneurones in the nucleus tractus solitarius activated following electrical stimulation of cardiac and pulmonary vagal branches of the cat. 101*P*

Morris R. & Ositelu D.O. Retrograde labelling of somatostatin-containing neurones in the trigeminal ganglion following subcutaneous injections of neuronal pathway tracers in the rat. 102*P*

Batten T.F.C. & Lo V.K.F. Immunohistochemical localization of peptides and amines in the brain stem of the cat. 103*P*

Al-Shamma Y.M.H. & Hainsworth R. Cardiovascular responses to upright tilting in human subjects of various ages. 104*P*

Al-Shamma Y.M.H., Hainsworth R. & Morley C.A. Cardiovascular responses in humans to baroreceptor stimulation. 105*P*

Khan M. & O'Máille E.R.L. High biliary HCO_3^- concentration and hypercholeresis induced by hyodeoxycholate in the rat. 106*P*

Leiper J.B. Comparison of absorption rates from glucose-electrolyte solutions containing citrate or betaine hydrocholoride perfusing a segment of human jejunum. 107*P*

Chakder S.K. & Zeitlin I.J. Action of bile acids on intestinal kallikrein-like amidase (KLA): comparison of effects in rat stomach and colon. 108*P*

Al-Gailani B.T. & Cotterrell D. Deformability of human red cell ghosts determined by filtration. 109*P*

Murphy Christine T. & Shennan D.B. Potassium (tracer ^{86}Rb) transport across the microvillus membrane of human term placenta. 110*P*

Ginsborg B.L., Martin R.J. & Patmore L. On the electrical properties of a human neuroblastoma cell-line (IMR-32). 111*P*

Richards D.E. Direct evidence for tight binding of cobalt ions to phosphorylated forms of canine Na^+,K^+-ATPase. 112*P*

Cooper R.G., Edwards R.H.T., Gibson H. & Stokes M. Frequency dependence of excitation and force generation in human adductor pollicis. 113*P*

Boyett M.R. & Henning B. The mechanism underlying rate-dependent changes in the transient inward current, i_{TI}, of isolated sheep cardiac Purkinje fibres. 114*P*

Boyett M.R., Hamilton D.L. & Levi A.J. A simple model of changes of the intracellular sodium activity (a^i_{Na}) on binding of cardiac glycosides to the sodium–potassium pump of the heart. 115*P*

Chapman R.A. & Rodrigo G.C. Intracellular sodium activity in isolated guinea-pig cardiac myocytes in normal Tyrode solution and during exposure to calcium-free solution. 116*P*

Lorrabaquio-Sanchez D. & Rennie M.J. Decreased sugar uptake as a result of changes in the kinetic characteristics of transport in Zucker obese rats. 117*P*